

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Report of cholera occurring in provincial towns in the Philippine Islands for the week ended October 10, 1903—Continued.

Place.	Province.	Cases.	Deaths.
Victoria	Tarlac .	16	12
Taal	Batangas	11	11
Botolan	Zambales	12	9
Ormoc	Island of Leyte	20	10
Tagbilaran	Island of Bohol	18	9
	Island of Panay		
Iloilo	Province of Iloilo	10	9
Tighauan	do	14	5
Capiz		1	Ĩ
	do	11	$\tilde{3}$
Barbaza		10	5
Pandan	do	26	24
	do	9	3
	do	2	
	do	5	5
Pinelhegen	Island of Negros.	50	38
Bacolod		4	4
		11	. 4
Dulunanadan	do	11	3
		4	9
San Carlos		4	4
n. •	Island of Mindanao		
Surigao	Province of Surigao	15	12
Total		356	230

Plague, cholera, and smallpox, in Cebu, during September, 1903.

Assistant Surgeon Fox reports October 1, through the chief quarantine officer, as follows:

Quarantinable diseases reported to the local authorities for the month of September, 1903.

	Cases.	Deaths.
Plague Cholera Smallpox	11 4 5	8 2 1

Foreign and insular statistical reports of countries and cities—- Yearly and monthly.

Australia—New South Wales—Sidney and suburbs.—Month of September, 1903. Population, 508,510. Total number of deaths, 456, including diphtheria, 7; enteric fever, 1; scarlet fever, 2; whooping cough, 5, and 46 from tuberculosis.

Three months ended September 30, 1903. Total number of deaths, 1,476, including 225 from contagious diseases.

Austria—Brunn.—Month of September, 1903. Estimated population, 95,342. Total number of deaths, 210, including diphtheria, 2; enteric fever, 2; scarlet fever, 3; whooping cough, 1, and 46 from tuberculosis.

Canada—British Columbia.—Vancouver, month of October, 1903, estimated population, 29,000; no deaths reported.

Victoria, month of October, 1903, estimated population, 21,000. Total number of deaths, 16, including 1 from enteric fever.

November 27, 1903 2120

CHILE—Antofagasta.—Month of September, 1903, estimated population, 16,000. Total number of deaths, 71, including smallpox, 23, and 4 from tuberculosis.

France—Marseille.—Month of October, 1903. Population, 491,161. Total number of deaths, 823, including diphtheria 4, enteric fever 18, measles 1, scarlet fever 1, smallpox 21, whooping cough 3, and 77 from tuberculosis.

Germany—Baden.—Freiburg.—Three months ended September 30, 1903. Estimated population, 90,106. Total number of deaths, 460, including diphtheria 1, scarlet fever 1, whooping cough 21, and 58 from tuberculosis.

Great Britain—England and Wales.—The deaths registered in 76 great towns in England and Wales during the week ended November 7, 1903, correspond to an annual rate of 16.2 per 1,000 of the aggregate population, which is estimated at 15,075,011.

London.—One thousand four hundred and twenty-six deaths were registered during the week, including measles 15, scarlet fever 13, diphtheria 18, whooping cough 11, enteric fever 18, and diarrhea 53. The deaths from all causes correspond to an annual rate of 16.1 per 1,000. In Greater London 1,884 deaths were registered. In the "outer ring" the deaths included 2 from diphtheria, 4 from scarlet fever, and 1 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended November 7, 1903, in the 21 principal town districts of Ireland was 18.7 per 1,000 of the population, which is estimated at 1,093,289. The lowest rate was recorded in Ballymena and Sligo, viz, 0, and the highest in Kilkenny, viz, 49.1 per 1,000. In Dublin and suburbs 166 deaths were registered, including enteric fever 1 and 36 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended November 7, 1903, correspond to an annual rate of 15.8 per 1,000 of the population, which is estimated at 1,702,912. The lowest rate of mortality was recorded in Dundee and Greenock, viz, 12.8, and the highest in Perth, viz, 23.2 per 1,000. The aggregate number of deaths registered from all causes was 516, including diphtheria 6, measles 19, scarlet fever 5, and 6 from whooping cough.

HAWAHAN ISLANDS—Honolulu.—Month of October, 1903. Census population, 39,306. Total number of deaths, 50, including 5 from tuberculosis.

Jamaica.—Two weeks ended October 31, 1903. Estimated population, 755,730. Number of deaths not reported. One death from enteric fever and 1 from whooping cough reported.

Kingston.—Month of October, 1903. Estimated population, 52,475. Total number of deaths, 149, including enteric fever, 3; whooping cough, 5, and 14 from tuberculosis.

Japan—Nagasaki.—Ten days ended October 20, 1903. Population, 148,883. Number of deaths not reported. Two deaths from diphtheria and 2 from enteric fever reported.

St. Helena.—Four weeks ended October 24, 1903. Estimated population, 4,000. Total number of deaths, 2. No deaths from contagious diseases.

Cholera, yellow fever, plague, and smallpox, June 27, 1903, to November 27, 1903.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from United States consuls through the Department of State and from other sources.]

[For reports received from December 27, 1902, to June 26, 1903, see Public Health Reports for June 26, 1903.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.	
China:					
Amoy			650		
Hankow		4	2		
Hongkong		8	3		
Shanghai	Aug. 1-Oct. 10		90	Two cases from a vessel.; on case on Br. ss. Olivebank.	
Tientsin	Sept. 5-Sept. 19	3	1	Imported via ss. Shenkin	
India:			1		
Bombay	May 20-Aug. 22		19		
Calcutta			284		
Chefoo	Sept. 5-Sept. 12	1	1		
Karachi	June 1-June 7	1			
Madras	June 6-Oct. 9		21		
Japan:		1			
Kobe	Sept. 27-Oct. 3	2	1		
Nagasaki	Aug. 11-Oct. 26	51	28		
Yokohama	Oct. 4-10	1	1	Discovered not to be true cholers	
Philippine Islands:			ĺ		
Manila	May 2-Oct. 10	701	613		
Provinces	do	23, 929	17, 758		
Straits Settlements:		1 '	, , , , , , , , , , , , , , , , , , ,		
Singapore	May 16-Oct. 3		210		
Turkey:					
Arghani-Maaden	Oct. 6	2			
Damascus	Sept. 1-Sept. 15			Fifteen to 20 cases daily.	
Diarbekir	Oct. 8			5 deaths daily.	
Gerger	Oct. 6	4		o accuracy,	
Severek				Present.	
Syria		5,562	1,366	1100040.	
Tripoli	Sept. 1-Sept. 15			Fifteen to 20 cases daily.	
	YELLO	W FEVE	cr.		

Brazil:				1		
Pernambuco	June	16-June	30		1	
Rio de Janeiro	May	17-Oct	. 18		- 31	
Colombia:	-			ļ		
Panama	June	e 8-Sept	. 28	43	15	
Costa Rica:	1					
Limon	June	11-Oct.	29	49	29	One case on ss. Westgate.
Matina	Aug.	. 20		2		The same of the sa
San José		lo		2		Imported.
Zent					4	
Cuba:						
Habana	July	7-Oct.	9	5	1	One from Ward Line ss. Vigi-
Ecuador:	0				-	lancia, from Progreso; 1 from
Guayaquil	May	2-July	25		8	Sp. ss. Alfonso XIII; one on
						Am. ss. Monterey, from Pro-
	}					greso, and 2 on Ger. ss. Prinz
						Adalbert, from Vera Cruzfand
Jamaica:						Tampico.
Port Royal	Oct.	11-Oct.	17	4	Í	
Mexico:				_		
Altamira	July	18		1		Present.
Cardenas	July	10		1	1	
Citas	Aug.	23-Oct.	24	148	56	
Ciudad Victoria	Oct.	4-Nov.	7		46	Fourteen new cases.
Coatzacoalcos				5		